



2020 4780

2020 10

2020 11 12



40

5 6

430200

027-87968590

027-87968590-8888

W a k t

ĩ ' k G ũ 'E 2020 10
20 ã 10 30 ' ũ ¼ ã r 3 J Â

h a o 3 H ĩ '

o 3 O	ũ ¼		
	WHU o		
ĩ	500 t/d	ĩ	500 t/d
1#	9000 kwoh	ũ	8500 kwoh
2#	10000 kwoh	ũ	9100 kwoh

3 a

≠

β

1# DA001 Ā ĩ ã ã ã ã ã ã ã ã ã

η à ð h ñ

≠		№ ò ð ù	₣	ñ ò ð ð ð
	ð ð. ù	‘ Ì ‘ №ðð ^ ~ HJ 543-2009	0.0025mg/m ³	‘ Ì ‘ №ðð ZYG-X YQ-A-SY-029-1
	ð ð. ù	ð ð ð HJ 657-2013	0.2µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.02µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.2µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.1µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.008µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.2µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.3µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.07µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.008µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
	ð ð. ù	ð ð ð HJ 657-2013	0.008µg/m ³	ù ð ñ ICAP RQ YQ-A-SY-035-1
ð		ð à à à à Ì ð HJ 702-2014	₣ ð ù 40mL ₣ ù 0.02µg/L	Ì ðð AFS-8220 YQ-A-SY-002

ư		№ Ồ ỉ ư	ư	ư Ồ ư ỉ ư
ư		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.01mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.01mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.03mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.01mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.004mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.06mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.02mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
		ư ầ ầ ầ ầ ư Ồ HJ 702-2014	ư ư 40mL ư 0.10μg/L	ư Ồ Ồ AFS-8220 YQ-A-SY-002
		ư 22 ư ư Ồ Ồ HJ 781-2016	ư ư 0.01mg/L	ư ư ư OPTIMA8300-DEMO YQ-A-SY-018
	ư ư	ư ư ư ư Ồ Ồ GB/T 15555.4-1995	ư ư 0.004mg/L	ư Ồ Ồ SP-721 ư YQ-A-SY-027-1

à

1 à

	β			% Ƴ	E
2020 10 30	1# DA001 ^ Áĩ	^ ~	147	/	/
		^ m/s	17.4	/	/
		Ω ^ %	8.7	/	/
		(m ³ /h)	83528	/	/
		ĩ ì. ¨ (mg/m ³)	0.004	/	/
		ĩ ì. ¨ (mg/m ³)	0.003	0.05	
		ĩ ì. ¨ ^ mg/m ³	0.0000188	/	/
		ĩ ì. ¨ ^ mg/m ³	0.0000230	/	/
		à ĩ ì. ¨ ^ Ƴ Cd+Tl ~ ^ mg/m ³	0.0000418	/	/
		à ĩ ì. ¨ ^ Ƴ Cd+Tl ~ ^ mg/m ³	0.0000340	0.1	
		ĩ ì. ¨ ^ mg/m ³	0.0000831	/	/
		ĩ ì. ¨ ^ mg/m ³	ND	/	/
		ĩ ì. ¨ ^ mg/m ³	0.00557	/	/
		ĩ ì. ¨ ^ mg/m ³	0.00182	/	/
		ĩ ì. ¨ ^ mg/m ³	0.0000370	/	/
		ĩ ì. ¨ ^ mg/m ³	0.0644	/	/
		ĩ ì. ¨ ^ mg/m ³	0.00183	/	/
		ĩ ì. ¨ ^ mg/m ³	0.000542	/	/
		à à à à à à à ĩ ì. ¨ ^ Ƴ Sb+As+Pb+Cr+Co+Cu+Mn+Ni ^ mg/m ³	0.0744	/	/
		à à à à à à à ĩ ì. ¨ ^ Ƴ Sb+As+Pb+Cr+Co+Cu+Mn+Ni ^ mg/m ³	0.0605	1.0	

β

%

V

E

2020 2# β
10 20

3 ˆ ˆ

	ˆ /	ˆ	ˆ	ˆ ˆ	E
ˆ ˆ. ˆ	0.800μg/L	0.805μg/L	0.6%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	204.367μg/L	2.2%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	195.771μg/L	2.1%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	207.371μg/L	3.7%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	199.592μg/L	0.2%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	211.655μg/L	5.8%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	202.32μg/L	1.2%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	197.417μg/L	1.3%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	192.203μg/L	3.9%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	206.671μg/L	3.3%	≤10%	ˆ
ˆ ˆ. ˆ	200μg/L	208.038μg/L	4.0%	≤10%	ˆ

4 ˆ ˆ

	ˆ ˆ	ˆ	ˆ ˆ	E
	ˆ ˆ ˆ 0 ˆ ˆ 0.0050μg ˆ U ˆ 0.0050μg	100.0%	70~120%	ˆ
	ˆ ˆ ˆ 0 ˆ ˆ 0.0050μg ˆ U ˆ 0.0047μg	94.0%	70~120%	ˆ

1^o

β



2



U dz1 r




1# dz2 r



2# dz3 r



1# DA001 A1



2# DA002 A2

*** hu ***