江

CMA
20141234[illegible]37

检测单位：江西星[illegible]

有限公司

JiangXi St

报告说明

1、本报告无本单位红色CMA章、红色检验检测专用章、骑缝未盖红色检验检测专用章无效。

2、本报告无编制人、审核人、签发人三级签字无效。[illegible]

[illegible]或不得部分复印本检测报告的内容；任何对本报告未经授权之涂改、伪造、变更及不当使用均属违法，其责任人将承担相关法律及经济责任，我公司保留对上述违法行为追究法律责任的权利。

4、本报告[illegible]本单位现场采样或检测的[illegible]

[illegible]

单位地址	江西省上饶市鄱阳县游城乡北塘村
样品来源	采样
采样日期	2023.05.18~2023.05

06.14

签发人：杜 辉　　签发日期：2023

本页以下空白

附录 1

检测样品编号		XHK2304093-01	样品类型	环境空气	
		样品检出限	实测浓度	毒性当量质量浓度	
		pg/m3	pg/m3	I-TEF	pg-TEQ/m3
多氯代二苯[illegible]	2,3,7,8-T4CDD	0.0004	N.D. < 0.0004	×1	0.00020
	1,2,3,7,8-P5CDD	[illegible]	N.D. < 0.001	×0.5	0.00025
	1,2,3,4,7,8-H6CDD	0.0008	N.D. < [illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]

二苯并	1,2,3,7,8-P$_5$CDD	0.001	N.D. < 0.001	×0.5	0.00025
	1,2,3,4,7,8-H$_6$CDD	0.0008	N.D. < 0.0008	×0.1	0.000040
	[illegible]	0.001	1.5	×0.001	[illegible]
	2,3,7,8-T$_4$CDF	0.0004	0.024	×0.1	0.0024
	1,2,3,7,8-P$_5$CDF	0.0004	0.026	×0.05	0.0013

注：1、实测质量浓度：二噁英类质量浓度测定值，pg/m^3。

[illegible]

3、毒性当量(TEQ)质量浓度：折算为相当于2,3,7,8-T$_4$CDD质量浓度，pg/m^3。

4、采样体积：245.6426 m^3（标准状态）。

5、当实测质量浓度低于样品检出限时用“N.D. < X”表示，计算毒性当量(TEQ)质量浓度时以1/2检出限X计算。

****报告结束****