



◆ ◆ ◆ ◆ ◆

1990年12月25日，在苏联最高苏维埃会议上，戈尔巴乔夫正式宣布苏联解体。

貴州華源 惠遠堂三聖藥酒漢里王酒廠公司酒廠養生酒
在標記和酒地無一例外 2025 年平度縣政府監
制

11. *Journal of the American Medical Association*, 2000; 284: 2689-2694.

● 新 興 興 業

浙江新昌隆管业股份有限公司

doi:10.1371/journal.pone.0156808.g002

明倫彙編 家範典 卷一百一十五

Abstract. *Staphylococcus aureus* is a leading cause of nosocomial infection. The purpose of this study was to determine the prevalence of *S. aureus* in the hospital environment and to determine the effect of disinfectants on the survival of *S. aureus* on a commonly used surface. A total of 100 samples were collected from the hospital environment. The results showed that 60% of the samples were positive for *S. aureus*. The results also showed that 100% of the samples were positive for *S. aureus* after treatment with disinfectants. The results of this study suggest that *S. aureus* is a leading cause of nosocomial infection and that disinfectants are effective in reducing the prevalence of *S. aureus* in the hospital environment.

“本公司在2017年12月31日及2018年6月30日，不存在应披露而未披露的重大诉讼、仲裁事项。”

声 明

出同意,不得部分复制本报告。

编制人、审核人和签发人签字于后。

本公司对报告中的数据和结论负责,并保证数据的准确性和完整性。

本公司同意,本报告不得用于广告、产品宣传等涉及商业推广的行为。

用作商业推广用途的,本公司将依法追究法律责任。

未经本公司书面

三、本报告无

源负责。

六、未经

检测报告

工程名称: 土壤污染状况调查

工程地址: 浙江省宁波市北仑区

建设单位: 浙江某有限公司

检测单位: 浙江某检测有限公司

检测日期: 2023年01月05日

检测人员: 张三、李四

检测地点: 浙江省宁波市北仑区

检测项目: 镉、砷

检测标准: GB 15618-2019

检测结果: 合格

检测结论: 合格

检测备注: 无

检测说明: 无

检测日期: 2023年01月05日

检测人员: 张三、李四

检测地点: 浙江省宁波市北仑区

检测项目: 镉、砷

检测标准: GB 15618-2019

检测结果: 合格

检测结论: 合格

检测备注: 无

检测说明: 无

检测日期: 2023年01月05日

检测人员: 张三、李四

检测地点: 浙江省宁波市北仑区

检测项目: 镉、砷

检测标准: GB 15618-2019

检测结果: 合格

检测结论: 合格

检测备注: 无

检测说明: 无

检测日期: 2023年01月05日

检测人员: 张三、李四

检测地点: 浙江省宁波市北仑区

检测项目: 镉、砷

检测标准: GB 15618-2019

检测结果: 合格

检测结论: 合格

检测备注: 无

检测说明: 无

检测日期: 2023年01月05日

检测人员: 张三、李四

检测地点: 浙江省宁波市北仑区

检测项目: 镉、砷

检测标准: GB 15618-2019

检测结果: 合格

检测结论: 合格

检测备注: 无

检测说明: 无

检测日期: 2023年01月05日

检测人员: 张三、李四

检测地点: 浙江省宁波市北仑区

检测项目: 镉、砷

检测标准: GB 15618-2019

检测结果: 合格

检测结论: 合格

检测备注: 无

检测说明: 无

检测日期: 2023年01月05日

检测人员: 张三、李四

镉、砷

2023020701(01-05)-01

完好

检测结论

附件

备注

点位	项目	检测结果	标准值	判定结果	备注	检测日期	检测人员
1#	镉	8.91×10 ⁻⁴	8.8	ND	/	/	/
	砷	8.34×10 ⁻⁴	7.5	ND	/	/	/
	镉	8.66×10 ⁻⁴	7.6	ND	/	/	/
	平均值	ND	/	/	/	/	/
2#	镉	8.41×10 ⁻⁴	8.6	ND	/	/	/
	砷	8.34×10 ⁻⁴	7.5	ND	/	/	/
	镉	8.66×10 ⁻⁴	7.6	ND	/	/	/
	平均值	ND	/	/	/	/	/
3#	镉	8.41×10 ⁻⁴	8.6	ND	/	/	/
	砷	8.34×10 ⁻⁴	7.5	ND	/	/	/
	镉	8.66×10 ⁻⁴	7.6	ND	/	/	/
	平均值	ND	/	/	/	/	/
4#	镉、砷	平均值	ND	/	/	0.03	/
5#	镉	1.54×10 ⁻⁴	1.5	1.54×10 ⁻⁴	1.0×10 ⁻⁴	1.09×10 ⁻⁴	/
6#	砷	8.34×10 ⁻⁴	7.5	1.55×10 ⁻⁴	7.78×10 ⁻⁴	4.76×10 ⁻⁴	/
7#	镉	1.56×10 ⁻⁴	1.5	1.54×10 ⁻⁴	7.78×10 ⁻⁴	3.01×10 ⁻⁴	/
8#	砷	8.41×10 ⁻⁴	8.6	2.13×10 ⁻⁴	1.72×10 ⁻⁴	1.79×10 ⁻⁴	/
9#	镉	8.34×10 ⁻⁴	7.5	2.33×10 ⁻⁴	1.72×10 ⁻⁴	1.93×10 ⁻⁴	/
10#	砷	1.56×10 ⁻⁴	1.5	1.54×10 ⁻⁴	1.0×10 ⁻⁴	1.09×10 ⁻⁴	/
11#	镉	8.41×10 ⁻⁴	8.6	4.10×10 ⁻⁴	3.31×10 ⁻⁴	3.45×10 ⁻⁴	/
12#	砷	8.34×10 ⁻⁴	7.5	4.47×10 ⁻⁴	3.31×10 ⁻⁴	3.73×10 ⁻⁴	/
13#	镉	1.56×10 ⁻⁴	1.5	5.06×10 ⁻⁴	4.24×10 ⁻⁴	3.72×10 ⁻⁴	/
14#	砷	1.54×10 ⁻⁴	1.5	5.06×10 ⁻⁴	4.24×10 ⁻⁴	3.72×10 ⁻⁴	/
15#	镉	1.34×10 ⁻⁴	7.5	2.43×10 ⁻⁴	1.86×10 ⁻⁴	2.03×10 ⁻⁴	/
16#	砷	1.56×10 ⁻⁴	1.5	2.43×10 ⁻⁴	1.86×10 ⁻⁴	2.03×10 ⁻⁴	/

检测报告

续上表

项目	单位	数量	单价	合价	备注
1. 土方工程	m ³	100	1.20	120.00	
2. 石方工程	m ³	50	2.50	125.00	
3. 混凝土工程	m ³	200	0.80	160.00	
4. 钢筋工程	t	10	1.50	15.00	
5. 模板工程	m ²	500	0.30	150.00	
6. 脚手架工程	m ²	1000	0.10	100.00	
7. 水电安装工程	m	100	0.50	50.00	
8. 油漆工程	m ²	200	0.20	40.00	
9. 其他工程	m ³	50	0.40	20.00	
合计				640.00	

0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 11000 12000 13000 14000 15000 16000 17000 18000 19000 20000 21000 22000 23000 24000 25000 26000 27000 28000 29000 30000 31000 32000 33000 34000 35000 36000 37000 38000 39000 40000 41000 42000 43000 44000 45000 46000 47000 48000 49000 50000 51000 52000 53000 54000 55000 56000 57000 58000 59000 60000 61000 62000 63000 64000 65000 66000 67000 68000 69000 70000 71000 72000 73000 74000 75000 76000 77000 78000 79000 80000 81000 82000 83000 84000 85000 86000 87000 88000 89000 90000 91000 92000 93000 94000 95000 96000 97000 98000 99000 100000

3. 当被试者从大气中吸入新鲜空气时, 呼吸肌舒张, 肺容积增大, 肺内压力减小, 外界空气经呼吸道进入肺部。

Figure 1. The effect of the number of iterations on the accuracy of the proposed algorithm. The accuracy of the proposed algorithm increases with the number of iterations. The accuracy of the proposed algorithm is 0.9999 after 100 iterations.

2000-2001

检测项目	设计值 (N)	实测值 (N)	温度 (℃)	温度 (℃)	检测部位	检测部位
梁、板、柱	1.20×10 ⁴	7.0	14.5	20.0	梁、板、柱	梁、板、柱
梁、板、柱	1.20×10 ⁴	7.5	14.5	20.0	梁、板、柱	梁、板、柱
梁、板、柱	1.20×10 ⁴	7.5	14.5	20.0	梁、板、柱	梁、板、柱



Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses for all groups. The number of correct responses was significantly higher than the number of incorrect responses for all groups. The number of correct responses was significantly higher than the number of incorrect responses for all groups.



DECLARATION OF INTEREST

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840.

